


Section 1: Identification	
<b>Product Name:</b> SaniDate FD	<b>Product Type/Description:</b> Microbiocide
<b>Recommended Use/ Use Restrictions:</b> Microbiocide for use in Federally inspected meat, poultry and seafood processing facilities	<b>Other Means of Identification</b> Peracetic Acid, Peroxyacetic Acid, PAA
<b>Manufacturer:</b> BioSafe Systems LLC 22 Meadow Street, East Hartford, CT 06108 <b>Telephone Number:</b> (888-273-3088)	<b>Emergency Number:</b> 800-424-9300 (CHEMTREC)

Section 2: Hazard Identification		
<b>GHS Classification: (As Concentrate)</b> Oxidizing Liquid: Category 3 Organic Peroxide: Type F Corrosive to Metals: Category 1 Acute Toxicity (oral, dermal and inhalation): Category 4 Skin Corrosion: Category 1 Serious Eye Damage: Category 1 Specific Target Organ Toxicity (single exposure): Category 3 Hazardous to the Aquatic Environment – Acute Hazard: Category 2	<b>Hazard Statements: (As Concentrate)</b> <b>H272:</b> May intensify fire; oxidizer <b>H242:</b> Heating may cause fire <b>H290:</b> May be corrosive to metals <b>H302:</b> Harmful if swallowed <b>H332:</b> Harmful if inhaled <b>H312:</b> Harmful in contact with skin <b>H314:</b> Causes severe skin burns and eye damage <b>H335:</b> May cause respiratory irritation <b>H401:</b> Toxic to aquatic life	<b>Pictograms:</b>   <b>Signal Word: DANGER</b>

Precautionary Statements:	
<b>General:</b> <b>P101:</b> If medical advice is needed, have product container or label at hand <b>P102:</b> Keep out of reach of children <b>P103:</b> Read label before use. <b>Prevention:</b> <b>P210:</b> Keep away from heat, sparks or open flames, no smoking <b>P220:</b> Store away from combustible materials <b>P221:</b> Take any precautions to avoid mixing with combustibles <b>P234:</b> Keep only in original container <b>P260:</b> Do not breathe fumes, mist or vapors <b>P262:</b> Do not get in eyes, on skin or on clothing <b>P264:</b> Wash thoroughly after handling <b>P270:</b> Do not eat, drink, or smoke when using this product. <b>P280:</b> Wear protective gloves, clothing, eye protection, face protection <b>P271:</b> Use only outdoors or in a well-ventilated area <b>P273:</b> Avoid release to the environment	<b>Response:</b> <b>P301+P330+P331:</b> If SWALLOWED: Rinse mouth. Do not induce vomiting. <b>P303+P361+P353:</b> IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower <b>P304+P340:</b> IF INHALED: Remove person to fresh air and keep comfortable for breathing <b>P305+P351+P338:</b> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing. <b>P310:</b> Immediately call a POISON CENTER/doctor. <b>P321:</b> For specific treatments see FIRST AID section on SDS or label <b>P370+P378:</b> In case of fire: Use water or other suitable extinguishing media <b>P390:</b> Absorb spillage to prevent material damage <b>Storage:</b> <b>P405:</b> Store locked up <b>P410:</b> Protect from sunlight <b>P411:</b> Store at temperatures not exceeding 55°C (131°F) <b>P406:</b> Store in corrosive resistant container, never use metal containers <b>P420:</b> Store away from Incompatible materials <b>Disposal</b> <b>P501:</b> Dispose of contents/container in accordance with local/regional/national/international regulations

<b>Other Information:</b> <b>NFPA Rating</b> Health – 3; Flammability – 1; Stability – 2 Special – OXY <b>HMIS Rating</b> Health – 3; Flammability – 1; –Physical Hazard– 2; PPE – Required
---

Section 3: Composition/Information on Ingredients		
Components:	Identifiers:	% Concentration by Weight:
Hydrogen Peroxide	7722-84-1	4-6%
Peroxyacetic Acid	79-21-0	15-17%
Acetic Acid	64-19-7	54-56%

### Section 4: First-aid Measures

<b>Eye Contact:</b>	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>Skin Contact:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
<b>Ingestion</b>	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
<b>Inhalation:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call poison control center or doctor for treatment advice.
<b>Note to Physician:</b>	Probable mucosal damage may contraindicate the use of gastric lavage.

### Section 5: Fire-fighting Measures

<b>Suitable Extinguishing Media:</b>	Product is not flammable and can be quickly diluted with clean water. Oxidizing Agent may cause spontaneous ignition with oxidizing agents
<b>Unsuitable Extinguishing Media:</b>	None Known
<b>Combustion Products:</b>	Carbon Oxides
<b>Unusual Fire and Explosion Hazards:</b>	Product (concentrate) can decompose and will release oxygen thereby adding to the fire hazard. Oxidizing Agent, may cause spontaneous ignition with other oxidizing agents
<b>Protective Equipment for Firefighters:</b>	Use PPE equipment

### Section 6: Accidental Release Measures

<b>Personal Precautions:</b>	Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes
<b>Emergency Procedures</b>	Ensure clean-up is conducted by trained personnel. Personnel should wear protective equipment outlined in Sections 7 & 8. If facing concentrations above exposure limits personnel shall wear certified respirators
<b>Environmental Precautions</b>	Prevent spill from entering waterways
<b>Methods and Material for Containment and Cleaning up</b>	Cleanup: Rinse small amounts to drain when possible. Dike or dam large spills, pump to containers or soak in inert absorbent. Flush residue to sanitary sewer, rinse area thoroughly with clean water. Avoid materials that are incompatible with concentrate. Waste Disposal: Consult state and local authorities for restrictions on disposal of chemical wastes. Unused product (concentrate) is classified as a (D002) by RCRA criteria.

### Section 7: Handling and Storage

<b>Handling:</b>	Wear protective gloves/eye protection/face protection Do not eat, drink, or smoke when using this product. Wash thoroughly after handling Avoid breathing fumes/mist/vapors. Use only outdoors or in a well-ventilated area
<b>Storage:</b>	Keep away from heat. Keep only in original container. Protect from sunlight. Store at temperatures not exceeding 55°C (131°F). Never return product back to the original container. Store in cool, ventilated area. Never use metal containers or spigots. Use vented container
<b>Incompatible Materials:</b>	Store away from combustible materials. Keep concentrate away from reactive substances

### Section 8: Exposure Controls/Personal Protection

Components with workplace control parameters			
Component	ACGIH (TTL)	NIOSH	OSHA (PEL)
Acetic Acid	TWA 10 ppm	TWA: 25 mg/m <sup>3</sup> - 8 hours. TWA: 10 ppm- 8 hours.	TWA: 25 mg/m <sup>3</sup> - 8 hours. TWA: 10 ppm- 8 hours.
Hydrogen Peroxide	TWA 1 ppm	TWA: 1.4 mg/m <sup>3</sup> - 8 hours. TWA: 1 ppm- 8 hours.	TWA: 1.4 mg/m <sup>3</sup> - 8 hours. TWA: 1 ppm- 8 hours.
Peroxyacetic Acid	STEL 0.4 ppm		
<b>Engineering Controls</b>		Effective exhaust ventilation system	
<b>Personal Protection Equipment</b>	<b>Respiratory</b>	NIOSH approved full-face respirator for excessive conditions	
	<b>Eye/Face Protection</b>	- chemical proof goggles/face shield for splash risk	
	<b>Hands</b>	Hand gloves for handling concentrate = butyl rubber	
	<b>Skin/Body</b>	coveralls when handling concentrate	
	<b>General Hygienic Practices</b>	Do not eat, drink, or smoke when using this product. Wash thoroughly after handling Avoid breathing fumes/mist/vapors. Remove and wash contaminated clothing before reuse	

### Section 9: Physical and Chemical Properties

<b>Appearance:</b> Clear, colorless liquid	<b>Odor:</b> Pungent	<b>pH:</b> < 1
<b>Melting Point:</b> no data available	<b>Freezing Point:</b> no data available	<b>Boiling Point:</b> N/A; product decomposes
<b>Flash Point:</b> 200.1°F (93.4°C)	<b>Flammability:</b> non flammable	<b>Flammable Limits:</b> no data available
<b>Vapor Pressure:</b> no data available	<b>Specific Gravity:</b> 1.11 at 20°C (9.26 lbs/gal)	<b>Solubility (ies):</b> Complete
<b>Partition Coefficient n- octanol/water:</b> no data available	<b>Auto-ignition Temperature:</b> no data available	<b>Decomposition Temperature:</b> > 55°C

### Section 10: Stability and Reactivity

<b>Stability:</b>	Stable under normal conditions, with slow oxygen release
<b>Conditions to Avoid</b>	Heat / Direct Sunlight / water/moisture, contact with combustible materials
<b>Incompatible materials</b>	Acids /Bases / Reducing Agents Organic Materials / Metals / Salts of Metals
<b>Hazardous Decomposition Products</b>	N/A

### Section 11: Toxicological Information

<b>Acute Toxicological Data:</b>	<b>Oral Toxicity Estimate:</b> rat LD50: 1,115 - 2,958 mg/kg	<b>Dermal Toxicity Estimate:</b> rabbit LD50 1,147 – 1957 mg/kg
<b>Inhalation Toxicity Estimate:</b> 4h., rat 1.0-1.2 mg/L	<b>Skin irritation:</b> corrosive, severely irritating	<b>Eye irritation:</b> corrosive, severely irritating
<b>Likely Routes of Exposure:</b> Inhalation, eye contact, skin contact		
<b>Symptoms and effects:</b>	<b>Acute Effects</b>	
<b>Eye Contact</b>	Causes serious eye damage	
<b>Skin Contact</b>	Causes severe skin burns	
<b>Inhalation</b>	May cause respiratory track irritation	
<b>Ingestion</b>	Harmful if swallowed	
<b>Chronic exposure:</b>	Dermal and inhalation – irritating effects	

### Section 12: Ecological Information

<b>Ecotoxicity</b>	Bluegill sunfish: Acute 1.21ppm. Toxic to simple cell and aquatic organisms. Danger to the environment limited; due to product properties
<b>Persistence and degradability</b>	Weak persistence of degradation products
<b>Bioaccumulation potential</b>	No bioaccumulation
<b>Mobility in Soil</b>	Non-significant adsorption Soil degradation = 99% in 20 minutes
<b>Other adverse effects</b>	N/A

### Section 13: Disposal Considerations

<b>Waste From Residues and Unused Product</b>	Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited. If wastes cannot be disposed of according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
<b>Contaminated Container Disposal</b>	Do not reuse or refill this container. Triple Rinse empty containers with clean water. Clean and empty containers are to be recycled or placed in the trash.

### Section 14: Transport Information

	UN Number	UN Proper Shipping Name	Hazard Class (Subsidiary)	Label (Subsidiary)	Packing Group	Marine Pollutant
<b>US DOT</b>	3109	Organic Peroxide type F, liquid Peroxyacetic acid or peracetic acid (with not more than 26% hydrogen peroxide	5.2(8)	Organic Peroxide (Corrosive)	II	NO
<b>CA TDG</b>	3109	Organic Peroxide type F, liquid Peroxyacetic acid or peracetic acid (with not more than 26% hydrogen peroxide	5.2(8)	Organic Peroxide (Corrosive)	II	NO
<b>Special Precautions:</b> Shipping Container: UN Certified vented polyethylene						

### Section 15: Regulatory Information

<b>TSCA Inventory List:</b> Yes		<b>US EPA CERCLA Hazardous Substances:</b> Acetic Acid 5000 lbs	
<b>SARA Title III Section 302/303 Extremely Hazardous Substance:</b> Peroxyacetic acid		<b>EHS RQ:</b> Peroxyacetic Acid 500 lbs	<b>TPQ:</b> Peroxyacetic Acid 500 lbs
<b>SARA Title III Sec. 311/312:</b> Peroxyacetic acid		<b>Hazard category:</b> Acute Health Hazard Reactivity Hazard, Fire Hazard	
<b>US. EPA EPCRA Section 313 listed:</b> Peroxyacetic acid		<b>Threshold quantity (processed or manufactured):</b> 10,000 lbs	<b>Threshold quantity (otherwise used):</b> 25,0000 lbs
<b>Canadian WHIMIS Classification</b>	C – Oxidizing E – Corrosive F – Dangerously Reactive		
<b>California Prop 65</b>	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.		

### Section 16: Other Information

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of its affiliates make any warranty, expressed or implied, or accept any liability in connection with the information or its use. The information is for use by technically skilled persons at their own discretions and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed.



For additional information on SaniDate FD, call us toll-free at 1.888.273.3088 or visit [www.biosafesystems.com](http://www.biosafesystems.com).

©2015 Copyright BioSafe Systems, LLC. Peroxyacetic acid or peracetic acid (with not more than 26% hydrogen peroxide SaniDate FD is a registered trademark of BioSafe Systems, LLC. Always read and follow label directions.

Issuing Date: 6/19/16

Revision Number: 5