

#### SaniDate® FD Plus

Form #:	SDS-017
Revision Date:	04/12/2019
Revision #:	05
Supersedes Date:	07/12/2018

	Section 1: Identification				
Product Name:	SaniDate® FD Plus	Product Type / Description:	Microbiocide		
Recommended Use:	Microbiocide for use in federally inspected meat, poultry and seafood processing facilities.	Other Means of Identification:	Peracetic Acid Solution, Peroxyacetic Acid Solution, PAA		
Use Restrictions:	It is a violation of federal law to use this product in a manner inconsistent with its labeling.	Chemical Formula:	CH₃CO₃H		
Manufacturer:	BioSafe Systems, LLC 22 Meadow Street   East Hartford, CT 06108	EPA Registration #:	NA		
Telephone Number:	1-888-273-3088	Emergency Number: 1-800-424-9300 (CHEMTREC)			

Section 2: Hazard Identification		
GHS Classification		azard Statements
Organic Peroxide: Type F	H242: Heating may cause fire.	
Corrosive to Metals: Category 1	H290: May be corrosive to meta	als.
Acute Toxicity H302: Harmful if swallowed.		
Oral: Category 4 H312: Harmful in contact with skin.		kin.
Dermal: Category 4	H314: Causes severe skin burns and eye damage.	
Inhalation: Category 4 H318: Causes serious eye damage.		ge.
Skin Corrosion/Irritation: Category 1A H332: Harmful if inhaled.		-
Serious Eye Damage/Eye Irritation: Category 1 H335: May cause respiratory in		itation.
Specific Target Organ Toxicity (Single Exposure): Category 3 H401: Toxic to aquatic life.		
Hazardous to the Aquatic Environment: Category 2	·	
Pictograms		Signal Word







**DANGER** 

Precaut	ionary Statements
General	Response
P101: If medical advice is needed, have product container or label at	P301+P330+P331: IF SWALLOWED: Rinse mouth. Do not induce vomiting.
hand.	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated
P102: Keep out of reach of children.	clothing. Rinse skin with water/shower.
P103: Read label before use.	P304+P340: IF INHALED: Move person to fresh air and keep comfortable for
	breathing.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P310: Immediately call a POISON CENTER/doctor.
	P321: For specific treatments see FIRST AID section on SDS or label.
	P363: Wash contaminated clothing before reuse.
	P370+P378: In case of fire: Use water or other suitable extinguishing media.
	P390: Absorb spillage to prevent material damage.
Prevention	Storage / Disposal
P210: Keep away from heat, sparks or open flames, no smoking.	P403+P235: Store in a well-ventilated place. Keep cool.
P220: Keep away from combustible materials.	P404: Store in a closed container.
P221: Take any precautions to avoid mixing with combustibles.	P405: Store locked up.
P234: Keep only in original container.	P406: Store in corrosive resistant container, never use metal containers.
P260: Do not breathe fumes, mist or vapors.	P410: Protect from sunlight.
P262: Do not get in eyes, on skin or on clothing.	P411: Store at temperatures not exceeding 55°C (131°F).
P264: Wash thoroughly after handling.	P420: Store away from incompatible materials.
P270: Do not eat, drink, or smoke when using this product.	
P271: Use only outdoors or in a well-ventilated area.	P501: Dispose of contents/container in accordance with
P273: Avoid release to the environment.	local/regional/national/international regulations.
P280: Wear protective gloves, clothing, eye protection, face	
protection.	



### SaniDate® FD Plus

Form #:	SDS-017
Revision Date:	04/12/2019
Revision #:	05
Supersedes Date:	07/12/2018

Section 3: Composition / Information on Ingredients			
Components	CAS-No	% Composition (w/w)	
Hydrogen Peroxide	7722-84-1	9.5 – 12.0%	
Peroxyacetic Acid	79-21-0	19.5 – 25.0%	
Acetic Acid	64-19-7	36.0 – 39.0%	

Section 4: First-Aid Measures		
Eye	In case of eye contact, remove contact lenses and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.	
Contact:	See a medical doctor immediately.	
Skin	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Seek immediate medical	
Contact:	attention/advice.	
Ingestion:	Rinse mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. If swallowed, do not	
	induce vomiting - seek medical advice.	
Inhalation:	Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Consult a	
	physician if necessary.	
Notes to	This product can be corrosive to skin, eyes, and mucous membranes. Careful gastric lavage should be considered. Observations may be	
Physician:	warranted. Treatment is controlled removal of exposure followed by supportive care.	

ı				
	Section 5: Fire-Fighting Measures			
Suitable Extinguishing Media: Water spray.		Water spray.		
	Unsuitable Exting	guishing Media:	Carbon dioxide, alcohol foam, dry chemical. Heavy water stream can spread fire.	
	Combustion Products: Corrosive vapors, acetic acid, carbon oxides.			
	Unusual Fire and Explosion Product is not flammable but during a fire, product can decompose and generate oxygen which can initiate or		Product is not flammable but during a fire, product can decompose and generate oxygen which can initiate or	
	Hazards: promote combustion.			
	Protective Full chemical protection suits and boots (rubber or PVC) and self-contained breathing apparatus. Cordon the area to keep out all			
	<b>Equipment for</b> unnecessary personnel. Keep upwind. Use large quantities of water spray to fight fire. Cool containers / tanks with water spray. If			
	Firefighters: safe to do, move product away from fire to secure area. Eliminate all possible sources of ignition and remove flammable material.			

Section 6: Accidental Release Measures		
Personal Precautions: Ensure adequate ventilation. Avoid inhalation, ingestion and contact with skin and eyes.		Ensure adequate ventilation. Avoid inhalation, ingestion and contact with skin and eyes.
Emergency Proce	dures:	Ensure clean-up is conducted by trained personnel. Personnel should wear appropriate protective equipment. Remove
all sources of ignition. Keep people away from and upwind of spill/leak. If facing concentrations above exposure limits		all sources of ignition. Keep people away from and upwind of spill/leak. If facing concentrations above exposure limits
personnel shall wear certified respirators.		
<b>Environmental Precautions:</b> Prevent undiluted spillage from entering sewers, basements or watercourses.		Prevent undiluted spillage from entering sewers, basements or watercourses.
Methods and	ethods and Dike to collect large liquid spills. Contain spills with earth or sand or inert absorbent. Stop leak and contain spill if this can be	
Material for	terial for done safely. Dilute with large quantities of water. If safe to do so, move product to secure area. Control runoff and isolate	
Containment and	Containment and discharged material for proper disposal. Do not seal waste material, do not use textiles, tissues, saw dust or combustible	
Clean-Up:		

Section 7: Handling and Storage			
Handling:	: Wear protective gloves/eye protection/face protection/body, skin protection. Do not eat, drink, or smoke when using this product. Wash		
	thoroughly after handling. Avoid breathing fumes/mist/vapors. Use only outdoors or in a well-ventilated area.		
Storage:	Store in cool, ventilated area. Keep away from heat. Keep only in original container. Protect from sunlight. Store at temperatures not		
	exceeding 30°C (86°F) for product quality. Do not store near combustible materials.		
Incompatible	Incompatible Materials: Oxidizing agents, strong reducing agents, combustible materials, heavy metals.		
Compatible	Compatible Materials: 304L Stainless Steel, 316L Stainless Steel, Passivated Aluminum; High Density Polyethylene (HDPE), Polyvinyl Chloride (PVC)		

Section 8: Exposure Controls / Personal Protection				
Components with Workplace Control Parameters				
Component	ACGIH	NIOSH	OSHA	
Acetic Acid	TWA: 10 ppm STEL: 15 ppm	TWA: 25 mg/m <sup>3</sup> - 8 hours. TWA: 10 ppm - 8 hours. IDLH: 50 ppm	TWA: 25 mg/m <sup>3</sup> - 8 hours. TWA: 10 ppm - 8 hours.	
Hydrogen Peroxide	TWA: 1 ppm	TWA: 1.4 mg/m³ - 8 hours. TWA: 1 ppm - 8 hours. IDLH: 75 ppm	TWA: 1.4 mg/m³ - 8 hours. TWA: 1 ppm - 8 hours.	
Peracetic Acid	STEL: 0.4 ppm			



### SaniDate® FD Plus

Form #:	SDS-017
Revision Date:	04/12/2019
Revision #:	05
Supersedes Date:	07/12/2018

Engineering Controls:	Ensure adequate ventilation. Emergency eye wash stations / emergency showers should be available in the immediate vicinity of any potential exposure.
General Hygienic Practices:	Do not eat, drink or smoke during use. Wash hands immediately after handling the product.
	Personal Protective Equipment
Respiratory Protection:	Use NIOSH-approved air-purifying or supplied air respirator where airborne concentrations of vapor or mist are expected to exceed exposure limits. Recommended respirators are those with an organic vapor / acid gas cartridge.
Eye / Face Protection:	Chemical resistant goggles or face shield if splashes are expected to occur.
Hand Protection:	Rubber/latex/neoprene or other suitable chemical resistant gloves. Do not use leather or cotton gloves.
Skin / Body Protection:	Wear non-combustible clothing and footwear (PVC, neoprene, nitrile or natural rubber).

Section 9: Physical and Chemical Properties								
Appearance:	Clear, colorless liquid.	Odor:	Pungent, vinegar-like.		Pungent, vinegar-like.		Odor Threshold:	NA
Physical State:	Liquid.	pH:	<1.5		Specific Gravity:	1.14 g/cm <sup>3</sup>		
Melting Point:	NA	Freezing Point:	NA		Boiling Point:	NA		
Flash Point:	200.1°F (93.4°C)	Flammability:	NA		NA		Flammability Limits:	NA
Vapor Pressure:	NA	Vapor Density:	NA		Solubility:	Complete.		
Evaporation	NA	Auto-Ignition	NA		Decomposition	SADT > 55°C (131°F)		
Rate:	NA	Temperature:	NA		Temperature:	3ADT > 33 C (131 F)		
Relative Density:	NA	Partition Coeffic	on Coefficient n-octanol / water: NA		Viscosity:	NA		

Section 10: Stability and Reactivity					
Reactivity: Reactive and oxidizing agent, organic peroxide.					
Stability: Stable under recommended storage conditions.					
Conditions to Avoid: Open flames/heat sources, temperatures above 55°C (131°F), direct sunlight, combustible materials.					
Incompatible Materials: Acids, bases, reducing agents, organic materials, soft metals, salts of metals.					
Hazardous Decomposition Products:	Thermal decomposition generates corrosive vapors, acetic acid and oxygen which supports combustion.				

Section 11: Toxicological Information								
Acute Toxicological Data								
Oral LD50 Rat:	1115 - 2958 mg/kg	Dermal LD50 Rabbit:	mg/kg	Inhalation LC50 Rat:	4 hr – 1.0 – 1.2 mg/L			
	Symptoms and Effects							
Condition Acute Effects				Chronic (Delayed) Effects				
Eye Contact:	Eye Contact: Causes serious eye damage.							
Skin Contact:	Causes severe skin burr	ns.	None.					
Inhalation: May cause respiratory tract irritation.				None.	_			
Ingestion:	Probable mucosal dama	age.		None.				

Section 12: Ecological Information								
Duration		n	Species	Value				
Ecotoxicity:	48 hr LC5	50	Lepomis macrochirus (bluegill sunfish)	1.21 ppm				
Persistence and Degradability: Peracetic acid is completely miscible with water. Product is biodegradable due to chemical properties.								
Bioaccumulative Potential: Does not bioaccumulate.								
Mobility in Soil: Non-significant adsorption soil degradation, >99% in 20 minutes.								
Results of PBT & vPvB: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).								
Other A	Other Adverse Effects: None known.							

Section 13: Disposal Considerations							
Waste from Residues and Unused Product: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and							
	international regulations.						
Contaminated Container Disposal: Do not reuse or refill containers. Triple rinse empty containers with clean water. Clea							
	containers should be taken to an approved waste handling site for recycling or disposal.						



#### SaniDate® FD Plus

Form #:	SDS-017
Revision Date:	04/12/2019
Revision #:	05
Supersedes Date:	07/12/2018

	Section 14: Transport Information									
UN Number		UN Proper Shipping Name	Hazard Class (Subsidiary)	Packing Group	IATA	Marine Pollutant				
DOT	3109	Organic peroxide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2 (8)	NA	Not permitted	Tollatant				
TDG	3109	Organic peroxide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2 (8)	NA	for shipment					
IMDG	3109	Organic peroxide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2 (8)		by air.	No				

**Special Precautions:** Shipping container: UN certified vented polyethylene

**Shipping Placards:** 





				Section 15	: Regulat	tory Inform	ation				
TS	CA Inventory Li	st		US EPA CER	CLA Haza	ardous Subs	stance	es			Clean Water Act
	Acetic Acid	Yes			Ad	cetic Acid	5000	lbs.	5	000 lbs.	
Hydroge	n Peroxide	Yes		Н	lydrogen	Peroxide	NA		N	Α	
Per	acetic Acid	Yes			Perac	cetic Acid	NA		N	Α	
					SARA Ti	itle III					
	Sec. 302 TPQ	Sec 30	4 RQ.	Sec 31	.1 / Sec 3	12 Hazard (	Categ	ory		Sec 313	Clean Air Act Threshold Qty
Acetic Acid	NA	N	A			NA				NA	NA
Hydrogen	1000 lbs.	1000	lbs.*		Physic	al: Oxidizer				NA	NA
Peroxide				<b>Health:</b> Acute Toxicity; Skin Corrosion or Irritation; Serious				Serious			
				Eye Damage or Ey	e Irritatio	on; Specific	targe	t organ	toxicity		
Peracetic	500 lbs.	500	lbs.	Physical: Org	-					Yes	10000 lbs.
Acid				Health: Acute Tox							
	Eye Damage or Eye Irritation; Specific target organ toxicity						toxicity				
*Hydrogen Po	eroxide Reportal	ole Quantity	only ap	plies to concentration	ons > 52%	6					
N	FPA 704 Rating	Health:	3	Flammability: 1 Reactivity: 2 Special: OX (Oxidizer)					dizer)		
HMIS Rating Health: 3			3	Flammability:	1	Physica	al:	2	PPE:	Recom	mended. (B)
Unif	orm Fire Code (I	NFPA 400)	Organ	ic Peroxide: Class IV,	Liquid						

#### **Section 16: Other Information**

#### According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

reproductive harm.

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of its affiliates make any warranty, expressed or implied, or accept any liability relating to the information or its use. The information is for use by technically skilled persons at their own discretion and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed. Always read and follow label directions.

For additional information, call us toll-free at 1.888.273.3088 or visit www.biosafesystems.com ©2019 BioSafe Systems, LLC.

**BiSafe Systems**