

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : SaniDate HC  
Product code : SDS-2500

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

BioSafe Systems, LLC  
22 Meadow Street  
East Hartford, Hartford, Connecticut 06108  
USA  
T 1-888-273-3088  
[www.BioSafeSystems.com](http://www.BioSafeSystems.com)

#### 1.4. Emergency telephone number

Emergency number : 1-888-273-3088 | Chemtrec: 1-800-424-9300

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Flammable liquids Category 3	H226	Flammable liquid and vapor
Organic Peroxide Category F	H242	Heating may cause a fire.
Corrosive to metals Category 1	H290	May be corrosive to metals
Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Acute toxicity (dermal) Category 4	H312	Harmful in contact with skin
Acute toxicity (inhalation) Category 1	H330	Fatal if inhaled
Skin corrosion/irritation Category 1A	H314	Causes severe skin burns and eye damage
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H226 - Flammable liquid and vapor  
H242 - Heating may cause a fire.  
H290 - May be corrosive to metals  
H302+H312 - Harmful if swallowed or in contact with skin  
H314 - Causes severe skin burns and eye damage  
H330 - Fatal if inhaled  
H335 - May cause respiratory irritation

Precautionary statements (GHS US) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking, P220 - Keep/Store away from clothing and other combustible materials, P233 - Keep container tightly closed, P234 - Keep only in original container, P242 - Use only non-sparking tools, P243 - Take precautionary measures against static discharge, P260 - Do not breathe fume, mist, spray, P264 - Wash hands, forearms and face thoroughly after handling, P270 - Do not eat, drink or smoke when using this product, P271 - Use only outdoors or in a well-ventilated area, P280 - Wear a minimum of a NIOSH-approved elastomeric half mask respirator with organic vapor (OV) cartridges and a combination N, R or P filter; OR a NIOSH-approved gas mask with OV canisters; OR a NIOSH-approved power air-purifying respirator with OV cartridges and combination HE filters. Wear goggles or face shield, rubber gloves, and protective clothing., P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting, P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower, P304+P340 - If inhaled: Remove person to fresh air and keep

# SaniDate HC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

comfortable for breathing,P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing,P310 - Immediately call a poison center or doctor,P321 - Specific treatment (see supplemental first aid instruction on this label),P370+P378 - In case of fire: Use media other than water to extinguish,P390 - Absorb spillage to prevent material-damage,P403+P233 - Store in a well-ventilated place. Keep container tightly closed,P405 - Store locked up,P406 - Store in corrosive resistant container with a resistant inner liner,P410 - Protect from sunlight,P411 - Store at temperatures not exceeding 25°C (77°F),P420 - Store away from other materials,P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation,P101 - If medical advice is needed, have product container or label at hand,P102 - Keep out of reach of children,P103 - Read label before use,P221 - Take any precaution to avoid mixing with combustibles

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Peroxyacetic acid	CAS-No.: 79-21-0	25 – 35
Hydrogen peroxide	CAS-No.: 7722-84-1	20 – 30
Acetic acid	CAS-No.: 64-19-7	15 – 20

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard	: Flammable liquid and vapor. Heating may cause a fire.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# SaniDate HC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Only qualified personnel equipped with suitable protective equipment may intervene.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : May be corrosive to metals.  
Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Do not breathe fume, mist, spray. Do not get in eyes, on skin, or on clothing.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.  
Storage conditions : Keep container closed when not in use. Store in original container. Store in a dry place. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from other materials. Protect from sunlight. Keep only in original container. Store in corrosive resistant container with a resistant inner liner. Store locked up.  
Incompatible materials : Combustible materials. Metals.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### SaniDate HC

No additional information available

##### Hydrogen peroxide (7722-84-1)

##### USA - ACGIH - Occupational Exposure Limits

Local name	Hydrogen peroxide
ACGIH OEL TWA [ppm]	1 ppm
Remark (ACGIH)	TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2022

##### USA - OSHA - Occupational Exposure Limits

Local name	Hydrogen peroxide
OSHA PEL TWA [1]	1,4 mg/m <sup>3</sup>

# SaniDate HC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Hydrogen peroxide (7722-84-1)</b>	
OSHA PEL TWA [2]	1 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>Acetic acid (64-19-7)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Acetic acid
ACGIH OEL TWA [ppm]	10 ppm
ACGIH OEL STEL [ppm]	15 ppm
Remark (ACGIH)	TLV® Basis: URT & eye irr; pulm func
Regulatory reference	ACGIH 2022
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Acetic acid
OSHA PEL TWA [1]	25 mg/m <sup>3</sup>
OSHA PEL TWA [2]	10 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>Peroxyacetic acid (79-21-0)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Peracetic acid
ACGIH OEL STEL [ppm]	0,4 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2022
<b>8.2. Appropriate engineering controls</b>	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.
<b>8.3. Individual protection measures/Personal protective equipment</b>	
<b>Personal protective equipment:</b>	
<b>Materials for protective clothing:</b>	
<b>Hand protection:</b>	
Protective gloves	
<b>Eye protection:</b>	
Safety glasses	
<b>Skin and body protection:</b>	
Wear suitable protective clothing	
<b>Respiratory protection:</b>	
Wear respiratory protection. [In case of inadequate ventilation] wear respiratory protection.	

# SaniDate HC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Color	: Colorless
Odor	: Pungent vinegar-like
Odor threshold	: No data available
pH	: ≈ 3,05 (1% solution)
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 59,5 °C (139.1 F)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Heating may cause a fire.
Vapor pressure	: 22 mm Hg (30C)
Relative vapor density at 20°C	: No data available
Relative density	: 1,8
Density	: 9,81 g/cm <sup>3</sup>
Solubility	: Complete.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: > 55 °C SADT (131F)
Viscosity, kinematic	: ≈ 0,195 mm <sup>2</sup> /s
Viscosity, dynamic	: ≈ 1,91 cP 25°C
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Flammable liquid and vapor. Heating may cause a fire.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Combustible materials. metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

# SaniDate HC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity (dermal) : Harmful in contact with skin.  
Acute toxicity (inhalation) : Fatal if inhaled.

SaniDate HC	
LD50 oral rat	> 50 mg/kg
LD50 dermal rat	> 200 mg/kg
LC50 Inhalation - Rat	> 0,062 mg/l
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (gases)	10 ppmV/4h
ATE US (vapors)	0,05 mg/l/4h
ATE US (dust, mist)	0,005 mg/l/4h
Hydrogen peroxide (7722-84-1)	
LD50 oral rat	693,7 mg/kg Source: ECHA
LD50 dermal rabbit	3000 mg/kg Source: ChemIDPlus
LC50 Inhalation - Rat	2000 mg/m <sup>3</sup> Source: ChemIDPlus
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	3000 mg/kg body weight
ATE US (vapors)	2 mg/l/4h
ATE US (dust, mist)	2 mg/l/4h
Acetic acid (64-19-7)	
LD50 oral rat	3310 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 6 day(s))
LD50 dermal rabbit	1060 mg/kg Source: HSDB, NITE
LC50 Inhalation - Rat	11,4 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Female, Experimental value, Inhalation (vapours), 14 day(s))
LC50 Inhalation - Rat [ppm]	16000 ppm Source: ChemIDPlus
ATE US (oral)	3310 mg/kg body weight
ATE US (vapors)	11,4 mg/l/4h
ATE US (dust, mist)	11,4 mg/l/4h
Peroxyacetic acid (79-21-0)	
LD50 oral rat	1540 mg/kg
LD50 dermal rabbit	1410 mg/kg
LC50 Inhalation - Rat	0,45 mg/l
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	1410 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	0,45 mg/l/4h
ATE US (dust, mist)	0,45 mg/l/4h

# SaniDate HC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation	: Causes severe skin burns. pH: ≈ 3,05 (1% solution)
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: ≈ 3,05 (1% solution)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.

### Hydrogen peroxide (7722-84-1)

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified

### Acetic acid (64-19-7)

NOAEL (oral,rat,90 days)	290 mg/kg body weight Animal: rat, Animal sex: male
Aspiration hazard	: Not classified
Viscosity, kinematic	: ≈ 0,195 mm <sup>2</sup> /s
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

### Hydrogen peroxide (7722-84-1)

LC50 - Fish [1]	16,4 mg/l Source: ECHA
-----------------	------------------------

### Acetic acid (64-19-7)

LC50 - Fish [1]	> 1000 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	> 1000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	> 300,82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [2]	> 300,82 mg/l Test organisms (species): Daphnia magna

### Peroxyacetic acid (79-21-0)

LC50 - Fish [1]	0,08 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	0,73 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	0,0121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

### 12.2. Persistence and degradability

### Hydrogen peroxide (7722-84-1)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

# SaniDate HC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acetic acid (64-19-7)	
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0,6 – 0,74 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1,03 g O <sub>2</sub> /g substance
ThOD	1,07 g O <sub>2</sub> /g substance

Peroxyacetic acid (79-21-0)	
Persistence and degradability	Contains readily biodegradable component(s).

### 12.3. Bioaccumulative potential

Hydrogen peroxide (7722-84-1)	
Partition coefficient n-octanol/water (Log Pow)	-1,36 Source: IPCS
Bioaccumulative potential	Not bioaccumulative.

Acetic acid (64-19-7)	
BCF - Fish [1]	3,16 (Pisces, Fresh water, QSAR)
Partition coefficient n-octanol/water (Log Pow)	-0,17 (Experimental value, 25 °C)
Bioaccumulative potential	Not bioaccumulative.

Peroxyacetic acid (79-21-0)	
Partition coefficient n-octanol/water (Log Pow)	-1,25
Bioaccumulative potential	Does not contain bioaccumulative component(s).

### 12.4. Mobility in soil

Hydrogen peroxide (7722-84-1)	
Surface tension	80,4 mN/m (20 °C, Pure substance, Calculated value, 100 %)
Ecology - soil	No (test)data on mobility of the component(s) available.

Acetic acid (64-19-7)	
Surface tension	26,3 mN/m (30 °C)
Ecology - soil	Highly mobile in soil. May be harmful to plant growth, blooming and fruit formation.

Peroxyacetic acid (79-21-0)	
Surface tension	54 mN/m (20 °C, 5 %, EU Method A.5: Surface tension)
Ecology - soil	Contains component(s) with potential for mobility in the soil.

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Additional information : Flammable vapors may accumulate in the container.







# SaniDate HC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

DOT	TDG	IMDG	IATA
<b>14.1. UN number</b>			
3109	UN3109	3109	3109
<b>14.2. Proper Shipping Name</b>			
Organic peroxide type F, liquid (Peroxyacetic Acid <43%)	ORGANIC PEROXIDE TYPE F, LIQUID (Peroxyacetic Acid <43%)	ORGANIC PEROXIDE TYPE F, LIQUID (Peroxyacetic Acid <43%)	Organic peroxide type F, liquid (Peroxyacetic Acid <43%)
<b>14.3. Transport hazard class(es)</b>			
5.2	5.2	5.2	5.2
 Not applicable	 Not applicable	 Not applicable	 Not applicable
<b>14.4. Packing group</b>			
Not applicable	II	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available			

### 14.6. Special precautions for user

Special transport precautions : Shipping container: UN certified vented polyethylene required, Keep container upright and secure for transport.

#### DOT

UN-No.(DOT) : UN3109

DOT Special Provisions (49 CFR 172.102) :

A61 - a. When used for purposes such as sterilization, inner packagings of peroxyacetic acid, stabilized, classified as UN 3107 Organic peroxide type E, liquid or UN 3109 Organic peroxide type F, liquid may be fitted with a vent consisting of hydrophobic membrane, provided:(1) Each inner packaging contains not more than 70 mL; (2) The inner packaging is designed so that the vent is not immersed in liquid in any orientation; (3) Each inner packaging is enclosed in an intermediate rigid plastic packaging with a small opening to permit release of gas and contains a buffer that neutralizes the contents of the inner packaging in the event of leakage; (4) Intermediate packagings are packed in a fiberboard box (4G) outer packaging; (5) Each outer packaging contains not more than 1.4 L of liquid; and (6) The rate of oxygen release from the outer packaging does not exceed 15 mL per hour.

IP5 - IBCs must have a device to allow venting. The inlet to the venting device must be located in the vapor space of the IBC under maximum filling conditions.

DOT Packaging Exceptions (49 CFR 173.xxx) : 152

DOT Packaging Non Bulk (49 CFR 173.xxx) : 225

DOT Packaging Bulk (49 CFR 173.xxx) : 225

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 10 L

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 25 L

DOT Vessel Stowage Location : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.

DOT Vessel Stowage Other : 12 - Keep as cool as reasonably practicable, 25 - Protected from sources of heat, 52 - Stow "separated from" acids, 53 - Stow "separated from" alkaline compounds

# SaniDate HC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### TDG

UN-No. (TDG)	: UN3109
TDG Special Provisions	: 16 - 1) The technical name of the most dangerous substance related to the primary class must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(i)(A) of Part 3, Documentation. The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4, Dangerous Goods Safety Marks. 2) subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical: a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act".
Explosive Limit and Limited Quantity Index	: 0.125 L
Excepted quantities (TDG)	: E0
Passenger Carrying Ship Index	: Forbidden
Passenger Carrying Road Vehicle or	: 10 L
Passenger Carrying Railway Vehicle Index	
Emergency Response Guide (ERG) Number	: 145

### IMDG

Special provision (IMDG)	: 122, 274
Limited quantities (IMDG)	: 125 ml
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P520
IBC packing instructions (IMDG)	: IBC520
Tank instructions (IMDG)	: T23
EmS-No. (Fire)	: F-J - FIRE SCHEDULE Juliet - NON-TEMPERATURE-CONTROLLED SELF-REACTIVES AND ORGANIC PEROXIDES
EmS-No. (Spillage)	: S-R - SPILLAGE SCHEDULE Romeo - ORGANIC PEROXIDES
Stowage category (IMDG)	: D
Properties and observations (IMDG)	: Decomposes at elevated temperatures or in a fire. Burns vigorously. Immiscible with water except for tert-butylhydroperoxide; dibenzoyl peroxide; dilauroylperoxide and peroxyacetic acid, type F, stabilized. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.

### IATA

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 570
PCA max net quantity (IATA)	: 10L
CAO packing instructions (IATA)	: 570
CAO max net quantity (IATA)	: 25L
Special provision (IATA)	: A20, A150, A802
ERG code (IATA)	: 5L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

# SaniDate HC

## Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Peroxyacetic acid	CAS-No. 79-21-0	25 – 35%
-------------------	-----------------	----------

Hydrogen peroxide (7722-84-1)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

Acetic acid (64-19-7)	
CERCLA RQ	5000 lb

Peroxyacetic acid (79-21-0)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	500 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb

FIFRA Labelling	
EPA Registration Number	70299-31
This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.	
FIFRA Pictogram	
FIFRA Signal Word	POISON DANGER
FIFRA Precautionary Statement	Keep out of reach of children.

### 15.2. International regulations

#### CANADA

Hydrogen peroxide (7722-84-1)	
Listed on the Canadian DSL (Domestic Substances List)	

Acetic acid (64-19-7)	
Listed on the Canadian DSL (Domestic Substances List)	

Peroxyacetic acid (79-21-0)	
Listed on the Canadian DSL (Domestic Substances List)	

#### EU-Regulations

No additional information available

#### National regulations

Hydrogen peroxide (7722-84-1)	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	

# SaniDate HC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Acetic acid (64-19-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### Peroxyacetic acid (79-21-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Hydrogen peroxide(7722-84-1)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List
Acetic acid(64-19-7)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List
Peroxyacetic acid(79-21-0)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H226	Flammable liquid and vapor
H242	Heating may cause a fire.
H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H330	Fatal if inhaled
H335	May cause respiratory irritation

Safety Data Sheet (SDS), BSS

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of its affiliates make any warranty, expressed or implied, or accept any liability relating to the information or its use. The information is for use by technically skilled persons at their own discretion and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed. Always read and follow label directions.

For additional information, call us toll-free at 1.888.273.3088 or visit [www.biosafesystems.com](http://www.biosafesystems.com)

©2023 BioSafe Systems, LLC.