

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 8/29/2022 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form Product name Product code

Mixture GreenClean Acid Cleaner

:

SDS-7500-CAN :

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

BioSafe Systems, LLC 22 Meadow Street East Hartford, Hartford, Connecticut 06108 USA T 1-888-273-3088 www.BioSafeSystems.com

1.4. Emergency telephone number

Emergency number

: 1-888-273-3088 | Chemtrec: 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture		
GHS US classification		
Corrosive to metals Category 1	H290	May be corrosive to metals
Skin corrosion/irritation Category 1	H314	Causes severe skin burns and eye damage
Serious eye damage/eye irritation Category 1	H318	Causes serious eye damage
Carcinogenicity Category 1A	H350	May cause cancer (Inhalation)
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated
		exposure
Hazardous to the aquatic environment – Acute Hazard Category 3	H402	Harmful to aquatic life

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

Full text of H statements : see section 16

Signal word (GHS US) Hazard statements (GHS US)





: Danger

:

- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H350 May cause cancer (Inhalation)
- H373 May cause damage to organs through prolonged or repeated exposure
- H402 Harmful to aquatic life
- : P201 Obtain special instructions before use.
 - P202 Do not handle until all safety precautions have been read and understood.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P260 - Do not breathe mist, spray, vapors.

P264 - Wash hands, forearms and face thoroughly after handling.

- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P310 - Immediately call a poison center or doctor.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material-damage.

P405 - Store locked up.

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

 Sufficiency
 Product identifier
 %

 Sulfuric Acid
 CAS-No.: 7664-93-9
 70 – 75

 (1-Hydroxyethylidene)bisphosphonic acid
 CAS-No.: 2809-21-4
 1 – 5

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and eff	ects (acute and delayed)
Symptoms/effects after skin contact	: Burns.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|--|--|

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Specific hazards arising from the chemical		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapors/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling : Hygiene measures :	Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions :	Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep cool.	
Incompatible materials :	Metals.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

GreenClean Acid Cleaner		
No additional information available		
(1-Hydroxyethylidene)bisphosphonic acid (2809-21-4)		
No additional information available		
Sulfuric Acid (7664-93-9)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Sulfuric acid	
ACGIH OEL TWA	0.2 mg/m ³ (T - Thoracic particulate matter)	
Remark (ACGIH)	TLV® Basis: Pulm func. Notations: A2 (Suspected Human Carcinogen. Classification refers to sulfuric acid contained in strong inorganic acid mists)	
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits		
Local name	Sulfuric acid	
OSHA PEL TWA [1]	1 mg/m ³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
8.2. Appropriate engineering controls		
	Ensure good ventilation of the work station. Avoid release to the environment.	
8.3. Individual protection measures/Personal protective equipment		

Hand protection:	
Protective gloves	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
[In case of inadequate ventilation] wear respiratory protection.	

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Color	: Colourless
Odor	: odorless
Odor threshold	: No data available
рН	: 0.6 – 0.7 Concentrate
pH solution	: 1.5 – 2 1.0% v/v solution
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Complete.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (dermal) :	Not classified Not classified Not classified.	
(1-Hydroxyethylidene)bisphosphonic acid (28	309-21-4)	
LD50 oral rat	1878 mg/kg (Rat, Male / female, Calculated value, Oral)	
LD50 dermal rabbit	> 10000 mg/kg (24 h, Rabbit, Male / female, Literature study, Dermal)	
ATE US (oral)	1878 mg/kg body weight	
Sulfuric Acid (7664-93-9)		
LD50 oral rat	2140 mg/kg body weight Animal: rat, 95% CL: 1540 - 2990	
LC50 Inhalation - Rat	0.375 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
LC50 Inhalation - Rat (Dust/Mist)	0.375 mg/l Source: ECHA	
ATE US (oral)	2140 mg/kg body weight	
ATE US (dust, mist)	0.375 mg/l/4h	
Skin corrosion/irritation :	Causes severe skin burns. pH: 0.6 – 0.7 Concentrate	
Sulfuric Acid (7664-93-9)		
рН	0.3 Source: HSDB	
Serious eye damage/irritation :	Causes serious eye damage. pH: 0.6 – 0.7 Concentrate	
Sulfuric Acid (7664-93-9)		
рН	0.3 Source: HSDB	
	Not classified	
	Not classified May cause cancer (Inhalation).	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

(1-Hydroxyethylidene)bisphosphonic acid (2809-21-4)		
NOAEL (chronic,oral,animal/male,2 years)	≥ 384 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)	
NOAEL (chronic,oral,animal/female,2 years)	≥ 493 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)	
Sulfuric Acid (7664-93-9)		
IARC group	1 - Carcinogenic to humans	
National Toxicity Program (NTP) Status	Known Human Carcinogens	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	May cause damage to organs through prolonged or repeated exposure.	
(1-Hydroxyethylidene)bisphosphonic acid (2809-21-4)		
LOAEL (oral,rat,90 days)	169 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:	
NOAEL (oral,rat,90 days)	41 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard :	Not classified	
Viscosity, kinematic :	No data available	
Sulfuric Acid (7664-93-9)		
Viscosity, kinematic	11.413 mm ² /s	
Symptoms/effects after skin contact :	Burns.	
Symptoms/effects after eye contact :	Serious damage to eyes.	
Symptoms/effects after ingestion :	Burns.	

SECTION 12: Ecological information

12.1. Toxicity		
Ecology - general : Harmful to aquatic life.		
(1-Hydroxyethylidene)bisphosphonic acid (2809-21-4)		
LC50 - Fish [1]	2180 mg/l (Equivalent or similar to OECD 203, 96 h, Cyprinodon variegatus, Static system, Salt water, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	527 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
EC50 - Other aquatic organisms [1]	1770 mg/l Test organisms (species): Palaemonetes pugio	
EC50 96h - Algae [1]	3.5 – 12 mg/l (Other, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Cell numbers)	
NOEC (chronic)	6.75 mg/l Test organisms (species): Daphnia magna Duration: '28 d'	
Sulfuric Acid (7664-93-9)		
LC50 - Fish [1]	16 – 28 mg/l Source: ECHA, NCIS	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sulfuric Acid (7664-93-9)		
NOEC (chronic)	0.15 mg/l Test organisms (species): other:	
NOEC chronic fish	0.31 mg/l Test organisms (species): Salvelinus fontinalis	
12.2. Persistence and degradability		
(1-Hydroxyethylidene)bisphosphonic acid (2809-21-4)	
Persistence and degradability	Not readily biodegradable in the soil. Not readily biodegradable in water.	
Chemical oxygen demand (COD)	0.00026 g O ₂ /g substance	
Sulfuric Acid (7664-93-9)		
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.	
12.3. Bioaccumulative potential		
(1-Hydroxyethylidene)bisphosphonic acid (2809-21-4)		
BCF - Fish [1]	71 (Other, 49 day(s), Cyprinus carpio, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	-3.5 (Experimental value, Other)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Sulfuric Acid (7664-93-9)		
Partition coefficient n-octanol/water (Log Pow)	-2.2 Source: HSDB	
Bioaccumulative potential Does not contain bioaccumulative component(s).		
12.4. Mobility in soil		
(1-Hydroxyothylidene)bisphesphenic acid (2800-21-4)		

(1-Hydroxyethylidene)bisphosphonic acid (2	809-21-4)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.22 (log Koc, Other, Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
Sulfuric Acid (7664-93-9)		
Ecology - soil No (test)data on mobility of the component(s) available.		
12.5. Other adverse effects		

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport info	rmation		
DOT	TDG	IMDG	ΙΑΤΑ
14.1. UN number			
1760	UN1760	1760	1760

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	ΙΑΤΑ
14.2. Proper Shipping Name			
Corrosive liquids, n.o.s. (Sulfuric Acid)	Corrosive liquids, n.o.s. (Sulfuric Acid)	CORROSIVE LIQUID, N.O.S. (Sulfuric Acid)	Corrosive liquid, n.o.s. (Sulfuric Acid)
14.3. Transport hazard class(es)			
8	8	8	8
CORROSIVE	B		
Not applicable	Not applicable		· · ·
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
Dangerous for the environment: No E	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available	1		
DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.10) DOT Packaging Exceptions (49 CFR 173 DOT Packaging Non Bulk (49 CFR 173.x DOT Packaging Bulk (49 CFR 173.xx)	not authorized. IB2 - Authorized IBC (31HZ1). Additional kPa at 50 C (1.1 bar T11 - 6 178.274(d)(2 TP2 - a. The maximu following: (image) W temperature in degre expansion of the liqu maximum mean bulk liquids transported u Where: d15 and d50 F) and 50 C (122 F), TP27 - A portable ta the calculated test pri defined in 178.275 o 3.xxx) : 154 xxx) : 202	11, MC 302, MC 303, MC 305, and MC is: Metal (31A, 31B and 31N); Rigid pla Requirement: Only liquids with a vapo at 122 F), or 130 kPa at 55 C (1.3 bar 2) Normal	astics (31H1 and 31H2); Composite r pressure less than or equal to 110 at 131 F) are authorized. e degree of filling determined by the nperature during transport, tf is the nd a is the mean coefficient of cubical he liquid during filling (tf) and the both in degrees celsius. b. For lated using the formula: (image) unit volume) of the liquid at 15 C (59 4 bar (400 kPa) may be used provided IAWP of the hazardous material, as
CFR 173.27)	OT Packaging Bulk (49 CFR 173.xxx) : 242 OT Quantity Limitations Passenger aircraft/rail (49) : 1 L FR 173.27) : 30 L		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
TDG	
UN-No. (TDG)	: UN1760
TDG Special Provisions	 16 - 1) The technical name of the most dangerous substance related to the primary class must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(i)(A) of Part 3, Documentation. The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4, Dangerous Goods Safety Marks. 2) subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical: a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; d) UN3248, MEDICINE, LIQUID, FLAMMABLE
	TOXIC, N.O.S; or e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act".
Explosive Limit and Limited Quantity Index	: 1L
Excepted quantities (TDG)	: E2
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 1L
Emergency Response Guide (ERG) Number	: 154
IMDG	
Special provision (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2, TP27
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.
ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provision (IATA)	: A3, A803
ERG code (IATA)	: 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Sulfuric Acid CAS-No. 7664-93-9 70 – 75%
--

Sulfuric Acid (7664-93-9)	
CERCLA RQ	1000 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

15.2. International regulations

CANADA

(1-Hydroxyethylidene)bisphosphonic acid (2809-21-4)	
Listed on the Canadian DSL (Domestic Substances List)	

Sulfuric Acid (7664-93-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

(1-Hydroxyethylidene)bisphosphonic acid (2809-21-4)	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	

Sulfuric Acid (7664-93-9)	
Listed as carcinogen on NTP (National Toxicology Program) Listed on INSQ (Mexican National Inventory of Chemical Substances)	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Sulfuric Acid(7664-93-9)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H350	May cause cancer
H373	May cause damage to organs through prolonged or repeated exposure
H402	Harmful to aquatic life

Safety Data Sheet (SDS), BSS

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of its affiliates make any warranty, expressed or implied, or accept any liability relating to the information or its use. The information is for use by technically skilled persons at their own discretion and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed. Always read and follow label directions.

For additional information, call us toll-free at 1.888.273.3088 or visit www.biosafesystems.com ©2022 BioSafe Systems, LLC.