

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 29.08.2022 Revision date: 20.09.2023 Supersedes: 29.08.2022 Version: 1.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : GreenClean Alkaline Cleaner Alkaline

Product code : SDS-7300-CAN

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

BioSafe Systems, LLC 22 Meadow Street

East Hartford, Hartford, Connecticut 06108

USA

T 1-888-273-3088

www.BioSafeSystems.com

1.4. Emergency telephone number

Emergency number : 1-888-273-3088 | Chemtrec: 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Corrosive to metals Category 1 H290 May be corrosive to metals

Skin corrosion/irritation Category 1 H314 Causes severe skin burns and eye damage

Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Precautionary statements (GHS US)

P234 - Keep only in original container,P260 - Do not breathe mist, spray, vapors,P264 - Wash hands, forearms and face thoroughly after handling,P280 - Wear protective gloves/protective clothing/eye protection/face protection,P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting,P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower,P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing,P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing,P310 - Immediately call a poison center or doctor,P321 - Specific treatment (see supplemental first aid instruction on this label),P363 - Wash contaminated clothing before reuse,P390 - Absorb spillage to prevent material-damage,P405 - Store locked up,P406 - Store in corrosive resistant container with a resistant inner liner,P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures		
Name	Product identifier	%
Sodium Hydroxide	CAS-No.: 1310-73-2	5 – 10
Proprietary Surfactant Blend	CAS-No.: 1643-20-5	10 – 15
Sodium Tripolyphosphate	CAS-No.: 7758-29-4	1 – 5

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician

immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case : Toxic fumes may be released.

of fire

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

20.09.2023 (Revision date) EN (English US) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store

locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials : Metals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

GreenClean Alkaline Cleaner Alkaline

No additional information available

Sodium Tripolyphosphate (7758-29-4)

No additional information available

Proprietary Surfactant Blend (1643-20-5)

No additional information available

Sodium Hydroxide (1310-73-2)

USA - ACGIH - Occupational Exposure Limits

HOA COULA Commercian at Firms and Limite	
Regulatory reference	ACGIH 2022
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr
ACGIH OEL C	2 mg/m³
Local name	Sodium hydroxide

USA - OSHA - Occupational Exposure Limits

Local name	Sodium hydroxide
OSHA PEL TWA [1]	2 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Materials for protective clothing:

Hand protection:

Protective gloves

Eye protection:

Safety glasses

20.09.2023 (Revision date) EN (English US) 3/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colorless liquid.

Color : Colourless to light yellow

Odor : odorless

Odor threshold : No data available

рΗ : 12 – 14 : Not applicable Melting point : No data available Freezing point Boiling point : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log : No data available

Pow)

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

metals.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Sodium Tripolyphosphate (7758-29-4)	
LD50 oral rat	3100 mg/kg Source: International Uniform ChemicaL Information Database
LD50 dermal rabbit	> 4640 mg/kg Source: Corporate Solution From Thomson Micromedex
LC50 Inhalation - Rat	> 0,39 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity)
ATE US (oral)	3100 mg/kg body weight
Proprietary Surfactant Blend (1643-20-5)	
LD50 oral rat	1064 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
ATE US (oral)	1064 mg/kg body weight
Sodium Hydroxide (1310-73-2)	

LD50 dermal rabbit	325 mg/kg Source: ECHA
ATE US (dermal)	325 mg/kg body weight

Skin corrosion/irritation : Causes severe skin burns.

pH: 12 - 14

Serious eye damage/irritation : Causes serious eye damage.

pH: 12 - 14

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Proprietary Surfactant Blend (1643-20-5)

NOAEL (oral,rat,90 days)	40 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity
	Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:

Aspiration hazard : Not classified Viscosity, kinematic : No data available

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact Serious damage to eyes.

Symptoms/effects after ingestion

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Sodium Tripolyphosphate (7758-29-	4)
LC50 - Fish [1]	590 mg/l Source: ECOTOX

EN (English US) 20.09.2023 (Revision date) 5/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Tripolyphosphate (7758-29-4)		
EC50 - Crustacea [1]	276,61 mg/l Source: ECOTOX	
ErC50 algae	160 mg/l (ISO 8692, 4 day(s), Desmodesmus subspicatus, Fresh water, Experimental value)	
Proprietary Surfactant Blend (1643-	20-5)	
LC50 - Fish [1]	134 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	3,9 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
LC50 - Fish [2]	31,8 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [2]	3,1 mg/l Test organisms (species): Daphnia magna	
ErC50 algae	0,081 mg/l Source: NITE	
NOEC (chronic)	0,7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
Sodium Hydroxide (1310-73-2)		
LC50 - Fish [1]	125 mg/l	
EC50 - Crustacea [1]	40,4 mg/l Source: ECHA	
12.2. Persistence and degradability		
Sodium Tripolyphosphate (7758-29-4)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
Proprietary Surfactant Blend (1643-20-5)		
Persistence and degradability	Readily biodegradable in water.	
Sodium Hydroxide (1310-73-2)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
12.3. Bioaccumulative potential		
Sodium Tripolyphosphate (7758-29-4)		
Partition coefficient n-octanol/water (Log Pow)	-2,71 Source: Ecological Structure Activity Relationships	
Bioaccumulative potential	Not bioaccumulative.	
Proprietary Surfactant Blend (1643-20-5)		
Partition coefficient n-octanol/water (Log Pow)	< 2,7 (Calculated)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Hydroxide (1310-73-2)	Sodium Hydroxide (1310-73-2)	
Partition coefficient n-octanol/water (Log Pow)	-3,88 Source: SRC	
Bioaccumulative potential	Not bioaccumulative.	
12.4. Mobility in soil		
Sodium Tripolyphosphate (7758-29-4)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2,15 (log Koc, Experimental value)	
Ecology - soil	Low potential for adsorption in soil.	
Proprietary Surfactant Blend (1643-20-5)		
Ecology - soil	Low potential for adsorption in soil.	

12.5. Other adverse effects

Sodium Hydroxide (1310-73-2)

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

No (test)data on mobility of the substance available.

No data available in the literature

SECTION 14: Transport information

14.1. UN number

Surface tension

Ecology - soil

DOT NA No : UN1760 UN-No. (TDG) : UN1760 UN-No. (IMDG) : 1760 UN-No. (IATA) : 1760

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Corrosive liquids, n.o.s. (Sodium Hydroxide)
Proper Shipping Name (TDG) : Corrosive liquids, n.o.s. (Sodium Hydroxide)
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, N.O.S. (Sodium Hydroxide)
Proper Shipping Name (IATA) : Corrosive liquid, n.o.s. (Sodium Hydroxide)

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 8
Hazard labels (DOT) : 8



TDG

Transport hazard class(es) (TDG) : 8
Hazard labels (TDG) : 8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



IMDG

Transport hazard class(es) (IMDG) : 8
Hazard labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



14.4. Packing group

Packing group (DOT) : II
Packing group (TDG) : II
Packing group (IMDG) : II
Packing group (IATA) : II

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

Special transport precautions : Shipping container: UN certified vented polyethylene required.

DOT

UN-No.(DOT) : UN1760

DOT Special Provisions (49 CFR 172.102)

B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T11 - 6 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR : 154

173.xxx)

DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger : 1 L

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only : 30 L

(49 CFR 175.75)

20.09.2023 (Revision date) EN (English US) 8/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger

vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which

the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

TDG

UN-No. (TDG) : UN1760

TDG Special Provisions : 16 - 1) The technical name of the most dangerous substance related to the primary class must be

shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(i)(A) of Part 3, Documentation. The technical name must also be shown, in

parentheses, on a small means of containment or on a tag following the shipping name in accordance

with subsections 4.11(2) and (3) of Part 4, Dangerous Goods Safety Marks.

2) subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical: a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or e) UN3249, MEDICINE,

SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act".

Explosive Limit and Limited Quantity Index : 1 L
Excepted quantities (TDG) : E2
Passenger Carrying Road Vehicle or : 1 L

Passenger Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 154

IMDG

Special provision (IMDG) : 274

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T11

Tank special provisions (IMDG) : TP2, TP27

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE

EmS-No. (Spillage) : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES

Stowage category (IMDG) : B

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

IATA

PCA Excepted quantities (IATA) : F2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L : 855 CAO packing instructions (IATA) CAO max net quantity (IATA) : 30L Special provision (IATA) : A3 A803 ERG code (IATA) : 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

20.09.2023 (Revision date) EN (English US) 9/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Sodium Hydroxide (1310-73-2)

CERCLA RQ 1000 lb

15.2. International regulations

CANADA

Sodium Tripolyphosphate (7758-29-4)

Listed on the Canadian DSL (Domestic Substances List)

Proprietary Surfactant Blend (1643-20-5)

Listed on the Canadian DSL (Domestic Substances List)

Sodium Hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Sodium Tripolyphosphate (7758-29-4)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Sodium Hydroxide (1310-73-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Sodium Tripolyphosphate(7758-29-4)	U.S Massachusetts - Right To Know List; U.S New York City - Right to Know Hazardous Substances List
Sodium Hydroxide(1310-73-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 09/20/2023

Full text of H-phrases		
H290	May be corrosive to metals	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	

Safety Data Sheet (SDS), BSS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of its affiliates make any warranty, expressed or implied, or accept any liability relating to the information or its use. The information is for use by technically skilled persons at their own discretion and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed. Always read and follow label directions.

For additional information, call us toll-free at 1.888.273.3088 or visit www.biosafesystems.com ©2023 BioSafe Systems, LLC.