



SPECIMEN LABEL

ACTIVE INGREDIENTS:

<i>Pseudomonas fluorescens</i>	3x10 ⁶ CFU/mL
<i>Pseudoxanthomonas mexicana</i>	1x10 ⁶ CFU/mL
<i>Bacillus licheniformis</i>	3x10 ⁶ CFU/mL
<i>Brevibacillus parabrevis</i>	2x10 ⁶ CFU/mL
<i>Nitratireductor aquibiodomus</i>	1x10 ⁶ CFU/mL

Total CFU per milliliter at the time of manufacture is..... 1x10⁷ CFU/mL
 Total Microbe Content..... 0.18%

INERT INGREDIENTS:

Water..... 99.82%

This product contains live microorganisms and may cause adverse effects to persons with compromised immune systems. Avoid contact with eyes, mouth, and broken skin. Do not inhale product. Wear eye and skin protection when handling. Wash hands after using. Keep out of reach of children and pets.

Store out of direct sunlight. Best if stored between 40° F and 90° F.

GENERAL INSTRUCTIONS: Gently shake before use.

INITIAL DOSE: Apply 1 gallon of ClariSynQ per 20,000-40,000 gallons of system water (50-25 ppm). Use the higher rate (50 ppm) in systems with a high bio-load.

MAINTENANCE DOSE: Apply 1 gallon of ClariSynQ per 50,000-200,000 gallons of system water (20-5 ppm). Use the higher maintenance rate (20 ppm) in systems with consistently high bio-load.

WARRANTY: BIOSAFE SYSTEMS LLC warrants that this product conforms to the description on the label and is reasonably fit for the purposes stated on the label, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS LLC, and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BIOSAFE SYSTEMS LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.



For additional information on ClariSynQ, call us at 1-888-273-3088 or visit www.BioSafeSystems.com.

©2026 BioSafe Systems, LLC. Always read and follow label directions.
V1-033026 10.26